



DIA. (NOM.)		O.D. / D.E.		WALL / MUR		A		B		90°		45°		
INCHES	mm	INCHES	mm	SCH.	INCHES	mm	INCHES	mm	INCHES	mm	WEIGHT / POIDS		WEIGHT / POIDS	
POUCES		POUCES			POUCES		POUCES		POUCES		lb	kg	lb	kg
3	75	3.5	89	5S 10S	0.083 0.120	2.1 3.0	4.5	114	2	51	1.8 2.7	0.8 1.2	0.9 1.4	0.4 0.6
4	100	4.5	114	5S 10S	0.083 0.120	2.1 3.0	6	152	2.5	63	3.2 4.6	1.4 2.1	1.6 2.3	0.7 1.0
6	150	6.62	168	5S 10S	0.109 0.134	2.8 3.4	9	229	3.75	95	9.0 11.2	4.1 5.1	4.5 5.6	2.0 2.5
8	200	8.62	219	5S 10S	0.109 0.148	2.8 3.7	12	305	5	127	16.0 21.5	7.3 9.7	8.0 10.7	3.7 4.9
10	250	10.75	273	5S 10S	0.134 0.165	3.4 4.2	15	381	6.25	159	31.5 37.0	13.8 17.0	15.2 18.8	6.9 8.5
12	300	12.75	324	5S 10S	0.155 0.180	4.0 4.6	18	457	7.5	190	50.0 58.0	22.9 26.4	25.0 29.0	11.5 13.2
14	350	14.0	356	5S 10S	0.154 0.188	4.0 4.8	21	533	8.75	222	64.0 80.0	29.0 36.3	32.0 40.0	14.5 18.2
16	400	16.0	406	5S 10S	0.165 0.188	4.2 4.8	24	610	10	254	89.0 114.0	40.4 47.2	44.0 57.0	20.2 23.6
18	450	18.0	457	5S 10S	0.165 0.188	4.2 4.8	27	686	11.25	286	114.0 130.0	51.7 59.4	57.0 66.0	25.8 29.7
20	500	20.0	508	5S 10S	0.188 0.216	4.8 5.5	30	762	12.5	317	160.0 190.0	72.6 83.9	80.0 92.0	36.3 41.9
24	600	24.0	610	5S 10S	0.218 0.250	5.5 6.3	36	914	15	381	267.0 306.0	121.0 139.0	133.0 153.0	60.5 69.5

NOTES

1. Wall thicknesses are nominal.
2. Material: Stainless steel 304L - 316L.
Other alloys available upon request.
3. For maximum working pressure see technical section.

1. L'épaisseur des murs est nominale.
2. Matériau: acier inoxydable 304L - 316L.
Autres alliages disponibles sur demande.
3. Pour pression maximale voir section technique.