



STAINLESS STEEL REDUCING TEES



Standard Range — Inches						Approximate Weight — Pounds			
Nominal Pipe Size		O.D. Outside	O.D. Outside	Centre to End C	Centre to End M	Sch.5S	Sch.10S	Sch.40S	Sch.80S
Run	Branch	Diameter A	Diameter B						
3/4	1/2	1.050	0.840	1-1/8	1-1/8	0.25	0.28	0.33	0.41
1	1/2	1.315	0.840	1-1/2	1-1/2	0.44	0.57	0.63	0.77
1	3/4	1.315	1.050	1-1/2	1-1/2	0.45	0.58	0.64	0.78
1-1/4	1/2	1.660	0.840	1-7/8	1-7/8	0.75	0.95	1.08	1.34
1-1/4	3/4	1.660	1.050	1-7/8	1-7/8	0.76	0.96	1.09	1.35
1-1/4	1	1.660	1.315	1-7/8	1-7/8	0.82	1.02	1.15	1.42
1-1/2	1/2	1.900	0.840	2-1/4	2-1/4	0.92	1.34	1.57	1.98
1-1/2	3/4	1.900	1.050	2-1/4	2-1/4	1.03	1.35	1.58	1.99
1-1/2	1	1.900	1.315	2-1/4	2-1/4	1.12	1.41	1.65	2.05
1-1/2	1-1/4	1.900	1.660	2-1/4	2-1/4	1.21	1.49	1.72	2.16
2	3/4	2.375	1.050	2-1/2	1-3/4	1.38	1.55	2.46	3.17
2	1	2.375	1.315	2-1/2	2	1.42	1.60	2.52	3.23
2	1-1/4	2.375	1.660	2-1/2	2-1/4	1.50	1.65	2.60	3.33
2	1-1/2	2.375	1.900	2-1/2	2-3/8	1.62	1.69	2.71	3.47
2-1/2	1	2.875	1.315	3	2-1/4	1.77	2.53	4.42	5.57
2-1/2	1-1/4	2.875	1.660	3	2-1/2	1.80	2.58	4.48	5.64
2-1/2	1-1/2	2.875	1.900	3	2-5/8	1.82	2.61	4.59	5.77
2-1/2	2	2.875	2.375	3	2-3/4	1.85	2.66	4.67	5.87
3	1	3.500	1.315	3-3/8	2-5/8	2.58	3.49	6.41	8.28
3	1-1/4	3.500	1.660	3-3/8	2-3/4	2.68	3.51	6.47	8.33
3	1-1/2	3.500	1.900	3-3/8	2-7/8	2.93	3.54	6.57	8.47
3	2	3.500	2.375	3-3/8	3	3.13	3.59	6.64	8.53
3	2-1/2	3.500	2.875	3-3/8	3-1/4	3.48	3.72	6.95	8.77
3-1/2	1-1/2	4.000	1.900	3-3/4	3-1/8	3.58	4.49	8.65	11.32
3-1/2	2	4.000	2.375	3-3/4	3-1/4	3.78	4.53	8.66	11.42
3-1/2	2-1/2	4.000	2.875	3-3/4	3-1/2	4.12	4.66	8.97	11.73
3-1/2	3	4.000	3.500	3-3/4	3-5/8	4.47	4.75	9.19	11.93

*Dimensions same as Nominal Pipe Size

STAINLESS STEEL REDUCING TEES



Standard Range — Inches						Approximate Weight — Pounds			
Nominal Pipe Size		O.D.	O.D.	Center to	Center to	Sch.5S	Sch.10S	Sch.40S	Sch.80S
Run	Branch	Outside Diameter A	Outside Diameter B	End C	End M				
4	1-1/2	4.500	1.900	4-1/8	3-3/8	5.41	5.55	11.12	14.63
4	2	4.500	2.375	4-1/8	3-1/2	5.45	5.59	11.22	14.79
4	2-1/2	4.500	2.875	4-1/8	3-3/4	5.57	5.71	11.53	14.99
4	3	4.500	3.500	4-1/8	3-7/8	5.62	5.76	11.63	15.30
4	3-1/2	4.500	4.000	4-1/8	4	5.76	5.90	11.83	15.61
5	2	5.563	2.375	4-7/8	4-1/8	7.36	9.07	17.54	23.87
5	2-1/2	5.563	2.875	4-7/8	4-1/4	7.44	9.14	17.75	24.07
5	3	5.563	3.500	4-7/8	4-3/8	7.47	9.20	17.95	24.17
5	3-1/2	5.563	4.000	4-7/8	4-1/2	7.50	9.27	18.16	24.38
5	4	5.563	4.500	4-7/8	4-5/8	7.56	9.35	18.46	24.68
6	2-1/2	6.625	2.875	5-5/8	4-3/4	10.20	12.55	26.21	37.64
6	3	6.625	3.500	5-5/8	4-7/8	10.30	12.69	26.32	37.68
6	3-1/2	6.625	4.000	5-5/8	5	10.38	12.79	26.52	37.84
6	4	6.625	4.500	5-5/8	5-1/8	10.48	12.92	26.72	37.94
6	5	6.625	5.563	5-5/8	5-3/8	10.60	13.06	27.23	38.56
8	3	8.625	3.500	7	6	15.97	21.56	46.65	67.72
8	3-1/2	8.625	4.000	7	6	16.09	21.58	46.75	67.80
8	4	8.625	4.500	7	6-1/8	16.20	21.63	46.94	67.91
8	5	8.625	5.563	7	6-3/8	16.32	21.70	47.14	68.11
8	6	8.625	6.625	7	6-5/8	16.46	21.85	47.73	68.99
10	4	10.750	4.500	8-1/2	7-1/4	29.40	36.06	79.58	103.88
10	5	10.750	5.563	8-1/2	7-1/2	29.63	36.35	79.77	104.80
10	6	10.750	6.625	8-1/2	7-5/8	29.75	36.60	80.07	105.84
10	8	10.750	8.625	8-1/2	8	29.89	36.84	81.34	106.82
12	5	12.750	5.563	10	8-1/2	50.37	54.98	114.64	147.98
12	6	12.750	6.625	10	8-5/8	50.62	55.40	114.70	148.96
12	8	12.750	8.625	10	9	50.80	55.90	115.64	149.94

*Dimensions same as Nominal Pipe Size

STAINLESS STEEL REDUCING TEES



Standard Range — Inches						Approximate Weight — Pounds			
Nominal Pipe Size	O.D.	O.D.	Center to	Center to	Sch.5S	Sch.10S	Sch.40S	Sch.80S	
Run	Branch	Outside Diameter A	End C	End M					
12	10	12.750	10.750	10	9-1/2	51.06	56.25	118.58	151.90
14	6	14.000	6.625	11	9-3/8	-	-	-	-
14	8	14.000	8.625	11	9-3/4	-	-	-	-
14	10	14.000	10.750	11	10-1/8	-	-	-	-
14	12	14.000	12.750	11	10-5/8	-	-	-	-
16	6	16.000	6.625	12	-	-	-	-	-
16	8	16.000	8.625	12	-	-	-	-	-
16	10	16.000	10.750	12	-	-	-	-	-
16	12	16.000	12.750	12	-	-	-	-	-
16	14	*	*	12	-	-	-	-	-
18	8	18.000	8.625	13-1/2	11-3/4	-	-	-	-
18	10	18.000	10.750	13-1/2	12-1/8	-	-	-	-
18	12	18.000	12.750	13-1/2	12-5/8	-	-	-	-
18	14	*	*	13-1/2	13	-	-	-	-
18	16	*	*	13-1/2	13	-	-	-	-
20	8	20.000	8.625	15	12-3/4	-	-	-	-
20	10	20.000	10.750	15	13-1/8	-	-	-	-
20	12	20.000	12.750	15	13-5/8	-	-	-	-
20	14	*	*	15	14	-	-	-	-
20	16	*	*	15	14	-	-	-	-
20	18	*	*	15	14-1/2	-	-	-	-
24	10	20.000	10.750	17	15-1/8	-	-	-	-
24	12	20.000	12.750	17	15-5/8	-	-	-	-
24	14	*	*	17	16	-	-	-	-
24	16	*	*	17	16	-	-	-	-
24	18	*	*	17	16-1/2	-	-	-	-
24	20	*	*	17	17	-	-	-	-

USE APPROXIMATE WEIGHTS
OF STRAIGHT TEES FOR
WEIGHTS OF REDUCING TEES

*Dimensions same as Nominal Pipe Size